Implementing The Runoff Performance Standards

Presentation by
Gordon Stevenson
Wisconsin Department of Natural
Resources



What is Runoff (Nonpoint Source) Pollution?

Those sources that are diffuse in nature, having no single, well-defined point of origin. Nonpoint sources include land management activities that contribute to runoff, seepage or percolation that adversely affect the quality of waters in the state

Where Does Nonpoint Source Pollution Come From?

Impervious Areas:

- City Streets and Highways
- Parking Lots

Pervious Areas:

- Agricultural Fields
- Feedlots
- Construction Sites

What are the Impacts From Nonpoint Source Pollution?

Nonpoint pollution is responsible for 90% of the observed degradation in lake water quality and 40% in stream water quality in Wisconsin.

The Problem with Runoff (Nonpoint Source)


Pollution

- # Biggest remaining pollution threat to Wisconsin waters
- #Threatens our health, safety, & economic well-being
- #High cost to solve problems (rather than prevent them)




Agricultural Performance Standards

- Cropland soil loss at or under T
- Properly built, modified or abandoned manure storage facilities
- Clean runoff diverted from manure/ livestock areas in WQMAS
- Nutrient management planning on all cropland by 2008



Manure Management Prohibitions

- No overflow of manure structures
- No unconfined manure stacks in WQMAs
- No direct runoff from feedlots
- No unlimited livestock access



Water Quality Management Area

Within 1,000 feet of the ordinary high water mark of a navigable lake or reservoir

Within 300 feet of the ordinary high water mark of a navigable stream

Fish Creek
300 feet

1000 feet

Construction Standards



- Written erosion & sediment control plan
- Sediment controlled to the Maximum Extent Practicable (MEP) up to 80%
- Prescriptive standards
 - prevent tracking
 - sediment from de-watering
 - inlet protection

Post-Construction Standards



- 80% control of TSS
- 2-year 24-hour peak flow control
- Infiltration clean runoff
- Protective areas (buffers) along waterbodies
- No sheen on fuel & maintenance areas

Developed Urban Area Standards

Municipalities over 1,000 persons / mi²

- I & E on yard & pet waste management, fertilizer application
- Program for leaf/grass management
- Illicit discharge detection & elimination

Permitted municipalities must also:

- Reduce total suspended solids
 - by 20% (2008)
 - by 40% (2013)

NR 216 Revisions

- Revised to meet EPA Phase II Stormwater Requirements
- Effective Aug. 1, 2004
- Major Revisions:
 - construction permits for 1-5 acre sites
 - municipal permits for 16 urbanized areas
 - no-exposure certification for certain industries
 - fee system changed
 - option for Authorized Local Program

Impacts of Revised NR 216

- ~ 240 municipalities will get permit
 (currently 53 municipalities under 19 individual permits)
- ~ 3,000 construction erosion control permits

(currently average 500 per year)

NR 243 Rule Revisions

- Driven by federal regulations changes
- Technical advisory group has been meeting
- Will go to public comment when completed
- Final rule expected late fall/early winter 2005

NR 243 Proposed Revisions

Requires 6 months manure storage for all

liquid manure

 Restricts manure on frozen/snow covered ground




- No surface applications of liquid manure
- Surface application of solid manure allowed w. additional restrictions

NR 243 Proposed Revisions

- Some changes to Animal Unit calculations
- 100 foot setback or 35 foot vegetated buffer for CAFO manure applications or conservation practices equivalent to 100 foot setback
- Phosphorus based nutrient management plans required for all CAFOs
- Catastrophic/emergency plans
- Allowances for new technologies

CAFO Compliance Tracking



- New tracking system created in 2003-04
- Most regions are now using this system
- 14 inspections recorded for 2003-04
- Mandatory compliance workshops for all permitted CAFOs

Implementation Status 2003

Through ongoing conservation programs:

- about 82% of croplands meet T
- an estimated 114,000 acres of cropland were protected from excess erosion
- over 600,000 acres planned for proper nutrient application,
- 87 percent of the critical sites identified in 25
 Priority Watershed and Lake projects have been resolved
- 23 WPDES permits were issued for concentrated animal feeding operations

Administrative Accomplishments

- Strategy written; survey completed
- Chippewa & St. Croix MOUs written
- Guidance docs, letter templates
- 15 urban tech stands developed thru
 SOC process (training in Nov./Dec.)
- NR 151 transportation performance standards incorporated into TRANS 401
- Educational materials/website almost done